




Ergotron® StyleView Cart

Dimensional Illustrations

SV31 PHD Laptop Cart non-powered

Dimensions



© 2011 Ergotron, Inc. rev. 02/04/2011 DIM-SV3X-PHD Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
 (800) 888-8458
 +1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
 +31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sales

Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales


www.ergotron.com
info.oem@ergotron.com




Ergotron® StyleView Cart

SV31 PHD Laptop Cart non-powered

Range of Motion



Weight Capacity



© 2011 Ergotron, Inc. rev. 02/04/2011 DIM-SV3X-PHD Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sales

Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com






Ergotron® StyleView Cart

Dimensional Illustrations

SV31 PHD LCD Cart non-powered

Dimensions



© 2011 Ergotron, Inc. rev. 02/04/2011 DIM-SV3X-PHD Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
 (800) 888-8458
 +1-651-681-7600
 www.ergotron.com
 sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
 +31 33 45 45 600
 www.ergotron.com
 info.eu@ergotron.com

APAC Sales

Tokyo, Japan
 www.ergotron.com
 apaccustomerservice@ergotron.com

Worldwide OEM Sales


www.ergotron.com
 info.oem@ergotron.com




Ergotron® StyleView Cart

SV31 PHD LCD Cart non-powered

Range of Motion



Weight Capacity



NOTE: If the combined LCD and CPU weight is greater than 23 lbs (10.4 kg) then the CPU must be mounted to the rear of the cart using the Universal CPU Holder accessory (ordered separately).

© 2011 Ergotron, Inc. rev. 02/04/2011 DIM-SV3X-PHD Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sales

Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com




Ergotron® StyleView Cart




Dimensional Illustrations

SV32 PHD Laptop Cart powered

Dimensions





Laptop Compartment



When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.

*Secure Storage for Laptop, Thin Client or CPU up to 3.75" (95 mm) thick



© 2011 Ergotron, Inc. rev. 02/04/2011 DIM-SV3X-PHD Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
 (800) 888-8458
 +1-651-681-7600
 www.ergotron.com
 sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
 +31 33 45 45 600
 www.ergotron.com
 info.eu@ergotron.com

APAC Sales

Tokyo, Japan
 www.ergotron.com
 apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
 info.oem@ergotron.com




Ergotron® StyleView Cart



Dimensional Illustrations

SV32 PHD Laptop Cart powered

Weight Capacity



Range of Motion



© 2011 Ergotron, Inc. rev. 02/04/2011 DIM-SV3X-PHD Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
 (800) 888-8458
 +1-651-681-7600
 www.ergotron.com
 sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
 +31 33 45 45 600
 www.ergotron.com
 info.eu@ergotron.com

APAC Sales

Tokyo, Japan
 www.ergotron.com
 apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
 info.oem@ergotron.com




Ergotron® StyleView Cart




Dimensional Illustrations

SV32 PHD LCD Cart powered

Dimensions




CPU Compartment



When figuring dimensions, include mounted accessories, protruding cables and port replicators or docking stations.

*Secure Storage for Laptop, Thin Client or CPU up to 3.75" (95 mm) thick



© 2011 Ergotron, Inc. rev. 02/04/2011 DIM-SV3X-PHD Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
 (800) 888-8458
 +1-651-681-7600
 www.ergotron.com
 sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
 +31 33 45 45 600
 www.ergotron.com
 info.eu@ergotron.com

APAC Sales

Tokyo, Japan
 www.ergotron.com
 apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
 info.oem@ergotron.com




Ergotron® StyleView Cart


Dimensional Illustrations

SV32 PHD LCD Cart powered


Range of Motion



Weight Capacity



NOTE: If the combined LCD and CPU weight is greater than 23 lbs (10.4 kg) then the CPU must be mounted to the rear of the cart using the Universal CPU Holder accessory (ordered separately).



© 2011 Ergotron, Inc. rev. 02/04/2011 DIM-SV3X-PHD Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sales

Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com

