

CATALOG, ENGLISH (EMEA) MARCH 2024

# Moving you forward

Research and customer feedback show that freedom to move while working leads to better health, greater productivity and a more positive attitude. At Ergotron, our mission has always focused on transforming static workplaces into dynamic environments that allow our customers to thrive. This means moving people forward by improving how they work, learn, play and care for others.

Whether in office, home, healthcare or educational settings, Ergotron is respected for industry-leading, professional-grade products. Our ergonomic movement solutions are designed for the rigors of a commercial audience, engineered for durability and tested to performance excellence. We are proud to hold more than 200 patents for unique product innovations and to have received countless accolades and awards.

Your input remains a crucial component in our product development process and your loyalty tells us we're continuing to move you in the right direction.

Thank you for your continued trust in the Ergotron brand.



OFFICE		5	HEALTHCARE		37
	WorkFit-TX	7		CareFit Slim Carts	38
	WorkFit Corner	7		CareFit Pro Carts	39
	WorkFit-TL	8		Light-duty StyleView Carts	42
	WorkFit-T	9		Documentation StyleView Carts	42
WORKFIT	WorkFit-Z Mini	9		Med Delivery StyleView Carts	43
DESK CONVERTERS	WorkFit-S	10	MEDICAL CARTS	Telemedicine StyleView Carts	43
	WorkFit-SR	12		StyleView Accessories	44
	WorkFit-A	12		Drawer Configurations	45
	WorkFit-LX	12		LiFeKinnex	46
	WorkFit-C	12		eKinnex	47
				SV DC Power	56
	TRACE Mounts	14			45
	HX Desk Arms	20		Zip12 Charging Cabinet	
	LX Desk Arms	22		CareFit Enclosure	48
DESK MOUNT	Multi-Monitor Configurations	23		StyleView Enclosures	49
MONITOR ARMS	Neo-Flex Desk Arms	27	WALL MOUNTS	CareFit Combo Wall Mounts	50
	MX Desk Arm	27		LX Wall Mounts	55
	NX Desk Arm	27		Neo-Flex Wall Mounts	55
	Desk Stands	28		200 Series Wall Mount	55
	Tablet Mounts	30		StyleView Vertical Lifts	56
	HX Wall Arms	31	CHARGING SYSTEMS		57
	LX Wall Arms	32			
	MXV Wall Arm	32	EDUCATION		61
WALL MOUNT MONITOR ARMS	Keyboard Arm	32		LearnFit	62
	MX Wall Arm	33		TeachWell	62
	Additional Wall Arms	33			
	Ceiling Mounts	33	SERVICE & SUPPORT		63
MOBILE WORKING		36			
	Neo-Flex Carts & Workspaces	36			
	Neo-Flex Mobile MediaCenters	36			



The way we work has changed, so companies need to invest in spaces that meet the needs of every generation. Through movement, Ergotron eliminates constraints and transforms sedentary office environments into active spaces that inspire creativity and long-term results.

#### Sit-Stand Workstations THE BROADEST PORTFOLIO FOR THE PERFECT FIT

#### Monitor Mounts WELL-BEING IS WITHIN AN ARM'S REACH

#### WORKFIT DESK CONVERTERS

Every body and every workspace is different. With the widest selection of styles, sizes and accessories, Ergotron's WorkFit family of sit-stand solutions helps employees find their best fit. The ability to easily go from sitting to standing and back again allows employees to choose how they work to reclaim the energy they need to feel and perform at their best.



#### **Tabletop Desk Converters**



#### The new standard: WorkFit-TX

Thoughtfully designed to offer advanced ergonomics out-of-the box, the WorkFit-TX fits more users with an X-shaped lift that folds close to your desk to keep the right monitor-to-keyboard-tray spacing. With a height-adjustable, back-tilt keyboard that sits below the worksurface, this ultra-low sit-stand workstation delivers leading ergonomics when sitting and standing.

Lift	20″ (50.8 cm)
Weight Capacity	40 lbs (18.2 kg)
Worksurface Dimensions	32" x 27" (81 x 68.5 cm)
Keyboard Tray Dimensions	28" x 8" (71 x 20 cm)

Part Number / Color 33-467-921 / Black




#### Right-angle power play: WorkFit Corner

Don't cut corners. Use them. The WorkFit Corner Standing Desk Converter turns unused space into a productive right-angle power play. It offers more worksurface and the largest keyboard tray of any WorkFit. The notched worksurface hugs 90-degree cube or office walls to slide into this previous dust collector space.

Lift	15″ (38 cm)
Weight Capacity	35 lbs (15.9 kg)
Worksurface Dimensions	36" x 23.6" (91.4 x 60 cm)
Keyboard Tray Dimensions	36" x 13.2" (91 x 33 cm)

Part Number / Color 33-468-921 / Black



#### **Tabletop Desk Converters**



#### Large worksurface: WorkFit-TL

WorkFit-TL transforms everyday offices into dynamic, active workspaces. This sit-stand desktop converter offers easy, crank-free height adjustment and holds up to 40 lbs (18.1 kg) of office essentials on a large worksurface. It moves straight up and down for more stability and to keep your space, your space.

Lift	15" (38 cm)
Weight Capacity	10-40 lbs (4.5-18.1 kg)
Worksurface Dimensions	37.5" x 23" (95 x 58.4 cm)
Keyboard Tray Dimensions	27.5" x 11" (69 x 28 cm)

Part Number / Color 33-406-085 / Black WORKFIT TABLETOP DESK CONVERTERS USE AN OUT-OF-THE-BOX DESIGN TO GET YOU STANDING IN MINUTES

#### WorkFit Monitor Kits




Single LD Monitor Kit Single HD Monitor Kit



Dual Monitor Kit





#### Medium worksurface: WorkFit-T

Lift	15″ (38 cm)
Weight Capacity	10-35 lbs (4.5-15.9 kg)
Worksurface Dimensions	35" x 23" (88.9 x 58.4 cm)
Keyboard Tray Dimensions	24.7" x 9.2" (62.9 x 23.5 cm)

Part Number / Color 33-397-085 / Black 33-397-062 / White



office





#### Woodgrain finish: WorkFit-Z Mini

Lift	12.5" (31.8 cm)
Weight Capacity	25 lbs (11.3 kg)
Worksurface Dimensions	31" x 15.8" (78.7 x 40.2 cm)
Keyboard Tray Dimensions	24.5" x 9.1" (62 x 23 cm)

Part Number / Color 33-458-917 / Dove Grey



#### Front-Mount Desk Converters



#### Advanced ergonomics: WorkFit-S

The timeless design of the WorkFit-S makes it our best solution for flexible and comfortable working. This height-adjustable standing desk easily attaches to your desktop. Just lift or lower the WorkFit-S with the push and pull of a hand and tweak the optional weight settings for no-sweat adjustment.

Typical LCD Size	$Dual \leq 24''$ each
Lift	See website
Weight Capacity	31 lbs (14 kg)

Part Number / Color Dual Monitor 33-341-200 / Black



#### WorkFit-S with Worksurface

This height-adjustable standing desk easily attaches to your desktop and adds a worksurface that stays with you as you sit or stand.

Typical LCD Size	Single LD $\leq$ 30"
Typical LCD Size	Single HD 30"
Typical LCD Size	$\text{Dual} \leq 24'' \text{ each}$
Lift	See website
Weight Capacity	See website
Worksurface Dimensions	23" x 15" (58.5 x 38 cm)
Keyboard Tray Dimensions	27" x 9" (68.5 x 22.6 cm)

Part Number / Color Single LD 33-350-200 / Black Single HD 33-351-200 / Black Dual Monitor 33-349-200 / Black Dual Monitor 33-349-211 / White

#### WorkFit-S Accessories



Grommet Mount 97-649-085



Small CPU Holder 80-063-200 Black



Tablet/Document Holder (with lift handle) 97-558-200 Black

#### WorkFit Accessories



Anti-Fatigue Floor Mat Neo-Flex Large 98-076 WorkFit Large 97-620-060



Corner Keyboard Tray 97-898 Black



**Dual Monitor Double-Hinged Bow** 98-101-009 Black



#### **Rear-Mount Desk Converters**



#### Tall users work happy: WorkFit-SR

Own your space while infusing movement and ergonomics with the WorkFit-SR. Take the worksurface/keyboard tray and monitor pivots to new heights to keep tall users feeling and working happy. Individual monitor and worksurface adjustment personalizes each fit. The integrated tray hugs your desktop when sitting to blend seamlessly with your tabletop.

Typical LCD Size	$\text{Dual} \leq 24'' \text{ each}$
Lift	See website
Weight Capacity	≤ 25 lbs (11.3 kg)

Part Number / Color Dual Monitor 33-407-085 / Black Dual Monitor 33-407-062 / White



#### Ultra-movable: WorkFit-A with Worksurface

Swing for the fences with the ultra-movable WorkFit-A. The arm-based design lets you swing your full standing workstation left, right, up or down to sit or stand while you work. One easy movement adjusts the complete workstation through the full 20" (51 cm) lift range.

Typical LCD Size	Single LD $\leq 27''$
Typical LCD Size	$\text{Dual} \leq 24'' \text{ each}$
Lift	20" (51 cm)
Weight Capacity	See website

Part Number / Color Single LD 24-317-026 / Polished Aluminum Dual Monitor 24-316-026 / Polished Aluminum



#### Flexible design: WorkFit-LX

With the WorkFit-LX standing workstation, you get to choose exactly where you place both your monitor (even large screens!) and your keyboard as you sit or stand. The modular and flexible design fits any space while upping your ergonomic comfort.

Typical LCD Size	≤ 42″
Lift	20″ (51 cm)
Weight Capacity	LCD 7–25 lbs (3.2–11.3 kg)
Weight Capacity	Keyboard ≤ 5 lbs (2.2 kg)

Part Number / Color 45-405-026 / Polished Aluminum

### Full Desks



#### Innovative computer cart: WorkFit-C

Lift	25" (53 cm)
Weight Capacity	Single LD $\leq$ 24.9 lbs (11.3 kg)
Weight Capacity	Single HD $\leq$ 32.5 lbs (14.7 kg)
Weight Capacity	Dual ≤ 32.5 lbs (14.7 kg)
Worksurface Dimensions	24" x 22.8" (60.6 x 58 cm)

Part Number / Color Single LD 24-215-085 / Black & Grey Single HD 24-216-085 / Black & Grey Dual Monitor 24-214-085 / Black & Grey





# SHAPE A NEW WORK EXPERIENCE

The innovative TRACE Monitor Mount adapts to the ergonomic needs of each employee to create agile workspaces at home or in the office that effortlessly shift between users and tasks to encourage healthy movement, productivity and a collaborative spirit.










#### Embrace the Technology of Movement<sup>™</sup> to improve workplace comfort, collaboration and productivity.



A productive and comfortable workday depends on a personalized set-up that offers employees the freedom to choose how they work best. TRACE embraces movement by tracing the path from individual to collaborative work, always returning to the natural home position.

Intuitive adjustment using patented Constant Force<sup>™</sup> Technology positions screens at an ergonomic height for comfortable working in dedicated or shared workspaces. Integrated cable management reduces clutters with a compact base that maintains valuable workspace. The flexible design accommodates future technology changes with a 15-year warranty to get more from your investment.





Clamp Kits








Slim Profile 98-490-224 (Matte Black) **Slim Profile** 98-490-216 (White) 98-4

Grommet 98-492-009 (Matte Black)



#### Embrace your next move: TRACE Single Monitor Mount with Panel Clamp

This innovative mount adapts to how each user works and feels their best to create ergonomic, flexible workspaces. It intuitively adjusts between tasks and postures, always returning to the natural home position.

Typical LCD Size	≤ 38″
Lift	11″ (28 cm)
Weight Capacity	6.5–21.5 lbs (3–9,8 kg)

#### Part Number / Color 45-630-216 / White 45-630-224 / Matte Black



TRACE Dual Monitor Mount with Panel Clamp

 Typical LCD Size
 ≤ 27"

 Lift
 11" (28 cm)

 Weight Capacity
 8.1–21.5 lbs (3.7–9.8 kg)

Part Number / Color 45-631-216 / White 45-631-224 / Matte Black

Conversion Kits



Single 47-109-224 (Matte Black)



Dual 47-110-224 (Matte Black)







#### MEET OUR MOST POPULAR MONITOR ARMS

Our professional-grade monitor arms add comfort, productivity and space to every work area. Rigorous quality requirements exceed the industry standards for cycle, load and tip testing to create quality, ergonomic solutions for your office that last.









Easy adjustment and long-lasting dependability with innovative coiled-spring technology

#### DESK MOUNT MONITOR ARMS




#### Premium, Innovative Design



#### Work and play reimagined: HX Desk Arm with HD Pivot

Combines our popular HX Desk Monitor Arm with our HX Heavy-Duty Tilt Pivot accessory to give gamers and office professionals an immersive viewing experience on ultra-wide, curved displays.





Adaptable as you: HX Desk Arm

With the HX Desk Monitor Arm, you can reposition large monitors

weighing up to 42 pounds while still enhancing your workspace with a

sleek design. Add a dual monitor and handle kit or triple monitor bow

kit to up your screen count and your productivity. Your monitor stays

within your workspace with a rotation stop that limits the range to 180°.

Weight Capacity 20-42 lbs (9-19 kg)

Part Number / Color

45-475-216 / White

45-475-224 / Matte Black

HX Desk Dual Arm

Lift 11.5" (29.2 cm)

Weight Capacity 5–17.5 lbs (2.3–8 kg) per monitor


Part Number / Color


45-476-216 / White 45-476-224 / Matte Black

Typical LCD Size ≤ 32"

Lift 11.5" (29.2 cm)

Typical LCD Size ≤ 49″





#### HX Triple Monitor Kit

Upgrade an HX arm to hold three monitors.

Typical LCD Size	≤ 26″
Lift	11.5" (29.2 cm)
Weight Capacity	2–10.2 lbs (1–4.6 kg) per monitor

Part Number / Color 98-009-216 / White

#### **Extensive Range Of Motion**



#### Easy adjustment: LX Desk Arm, Single

Place your screen where you need it for each project, and then reclaim a space full of opportunities by folding the arm and pushing it aside during a much-needed screen break. Tall pole option provides greater range of vertical positioning.

Typical LCD Size	≤ 34″
Lift	13" (33 cm)
Weight Capacity	7–25 lbs (3.2–11.3 kg)

Part Number / Color 45-241-026 / Polished Aluminum 45-490-216 / White 45-241-224 / Matte Black Tall Pole 45-295-026 / Polished Aluminum Tall Pole 45-537-216 / White Tall Pole 45-537-224 / Matte Black



Grommet Mount Accessory: LX Desk Arm, Single 98-034 LX Desk Arm, Single, Tall Pole Version 98-035 See all compatible products online



#### Work sitting or standing: LX Sit-Stand Desk Arm, Single

Easily place large monitors, mid-sized TVs and all-in-one computers up to 30 lbs to work sitting or standing. Integrated cable management tucks cords under the arm and out of sight. Keep your technology secure by anchoring the base.

Typical LCD Size	See website
Lift	20" (51 cm)
Weight Capacity	Single 7–25 lbs (3.2–11.3 kg)
Weight Capacity	HD 14-30 lbs (6,3-13,6 kg)

Part Number / Color Single 45-360-026 / Polished Aluminum Single HD 45-384-026 / Polished Aluminum

#### Tablet Accessory





Lockable Tablet Mount 45-460-026







# LX Multi-Monitor Arm Configurations














LX Dual Stacking Tall Pole



Triple Monitors: LX Dual Stacking Tall Pole + LX Arm, Extension & Collar Kit

laptop with a Notebook Tray Kit 50-193-200



# Stack LCDs Or Position Side-by-Side



## Easily rotate one or both screens: LX Dual Stacking Arm

This dual monitor mount lets you position each screen separately for a new level of flexible working. Project wrapped up? Reclaim a space full of opportunities by folding the arms and pushing them aside during a much-needed screen break.



Part Number / Color 45-248-026 / Polished Aluminum 45-492-216 / White





Notebook Tray Kit included with Polished Aluminum LX Dual Stacking Arm; for all other LX Dual Stacking Arms, order kit separately 50-193-200 (Black) Grommet Mount Accessory: 98-035 See all compatible products online

:e	



## LX Dual Stacking Arm, Tall Pole

Typical LCD Size	≤ 40″
Lift	13" (33 cm)
Weight Capacity	Two arms: 14–44 lbs (6.4–20 kg)
Weight Capacity	Three arms: 21–44 lbs (9.6–20 kg) Four arms: 28–44 lbs (12.7–20 kg) See website for details

Part Number / Color 45-549-026 / Polished Aluminum 45-509-216 / White 45-509-224 / Matte Black

#### Add a third or fourth display: LX Arm, Extension and Collar Kits



45-289-026 Polished Aluminum 45-289-216 White



97-940-026 Polished Aluminum 98-130-216 White 98-130-224 Matte Black

#### Side-by-Side Or Low Angle Views



#### Find your best view: LX Dual Side-by-Side Arm

The LX Dual Side-by-Side Arm was designed for side-by-side or low angle screen views. Easily position your dual monitors for the best views, while freeing up your desktop for office essentials. The dual arm extends LCDs or laptops up to 25" (64 cm) with an extension range of 18" (46 cm).

Typical LCD Size	≤ 27″
Lift	13" (33 cm)
Weight Capacity	7–20 lbs (3.2–9.1 kg) per arm

Part Number / Color 45-245-026 / Polished Aluminum 45-491-216 / White 45-245-224 / Matte Black



Grommet Mount Accessory: White LX Dual Side-by-Side Arm 98-035 (grommet mount included with Polished Aluminum arm)

#### Low-Profile Monitor Crossbar



#### Lift monitors together: LX Dual Direct Arm

The low-profile monitor crossbar uses a compact range of motion to keep your space, your space. With an individual per monitor weight range of 2–11 lbs (1–5 kg) and a total weight range of 4–22 lbs

(1.8–9.9 kg), LX Dual Direct supports a wide variety of monitors. Move two screens even easier with the Dual Direct Handle Kit accessory.

 
 Typical LCD Size
 ≤ 25"

 Lift
 13" (33 cm)

 Weight Capacity
 2–11 lbs (0.9–5.0 kg) per arm

 Part Number / Color

 45-489-216 / White

 45-489-224 / Matte Black



Dual Direct Handle Kit Accessory: 98-037-062 White 98-037-224 Matte Black

Grommet Mount Accessory: 98-034



office

#### **Neo-Flex Arms**



#### Versatility and value: Neo-Flex Extend LCD Arm





#### Affordable ergonomic comfort: Neo-Flex Monitor Arm



Part Number / Color 45-174-300 / Silver

#### Heavy Monitor Mount



#### For large monitors: MX Desk Arm

Typical LCD Size	≤ 30″
Lift	5″ (13 cm)
Weight Capacity	14-30 lbs (6.4-13.6 kg)

Part Number / Color 45-214-026 / Polished Aluminum



#### **Essential features**



#### Affordable quality: NX Monitor Arm

Create a neat, productive workspace at home or in the office with this affordable monitor arm that's easy to set up and backed by Ergotron's trusted reputation for quality. The single monitor arm fits a wide variety of monitors up to 8 kg and 34".

Typical LCD Size	≤ 34″
Lift	7.8"–17.6" (19.9–44.7 cm)
Weight Capacity	0–17.6 lbs (0–8 kg)

Part Number / Color 45-669-216 / White 45-669-224 / Black







#### **Desk Stands**



#### Take back your workspace: DS100 Desk Stands, Dual

Typical LCD Size	See website
Weight Capacity	Horizontal 31 lbs (14 kg) each
Weight Capacity	Vertical 23 lbs (10.4 kg) each

Part Number / Color Horizontal 33-322-200 / Black Vertical 33-091-200 / Black



#### Multi-display productivity: DS100 Desk Stands, Triple & Quad

Typical LCD Size	Triple Monitor $\leq 21''$
Typical LCD Size	Quad Monitor $\leq 24''$
Weight Capacity	≤ 31 lbs (≤ 14 kg) each

Part Number / Color Triple Monitor 33-323-200 / Black Quad Monitor 33-324-200 / Black







#### Easily position your widescreen monitor: Neo-Flex Widescreen Lift Stand

Typical LCD Size	20-32"
Lift	13 cm
Weight Capacity	7.2–16.3 kg

Part Number / Color / Availability 33-329-085 / Black



#### Supports two widescreen monitors: Neo-Flex Dual Monitor Lift Stand



33-396-085 / Black



#### Set your screen height for comfortable working: Neo-Flex Monitor Stand

Typical LCD	Size	≤ 27″
	Lift	5″ (13 cm)
Weight Capa	acity	6–16 lbs (2.7–7.2 kg)

Part Number / Color 33-310-060 / Black & Silver



#### **Tablet Mounts**



#### Lift, turn and tilt: Neo-Flex Notebook Lift Stand

Lift	6″ (15.2 cm)
Weight Capacity	3.5–14 lbs (1.6–6.3 kg)
Part Number / Color 33-334-085 / Black	
• •	the best views: hscreen Stand

Typical LCD Size	≤ 27″	
Lift	6.5" (16.5 cm)	
Weight Capacity	14–23.7 lbs (6.5–10.8 kg)	
Part Number / Color 33-387-085 / Black		

#### Hands-free working: Neo-Flex Desk Tablet Arm



45-306-101 / Black



#### Keep your technology secure: Lockable Tablet Mount

Typical Tablet Size	5.3″–8.7″ (13.5–22 cm) x 7.9″–12″ (20–30.6 cm)
Typical Screen Size	7.9–13″
Maximum Tablet Depth	0.9″ (2.3 cm)
Weight Capacity	14-34 lbs (6.4-15.4 kg)

Part Number / Color 45-460-026 / Silver





#### WALL MOUNT MONITOR ARMS

#### Premium, Innovative Design



#### Adaptable as you: HX Wall Arm

With the HX Wall Monitor Arm, you can reposition large monitors weighing up to 42 pounds while still enhancing your workspace with a sleek design. Add a dual or triple monitor bow kit to up your screen count and your productivity. Your monitor stays within your workspace with a rotation stop that limits the range to 180°.

Typical LCD Size	≤ 49″
Lift	11.5" (29.2 cm)
Weight Capacity	20-42 lbs (9-19 kg)

Part Number / Color 45-478-216 / White



#### HX Wall Dual Arm

Typical LCD Size	≤ 32″
Lift	11.5" (29.2 cm)
Weight Capacity	5–17.5 lbs (2.3–8 kg) per monitor

Part Number / Color 45-479-216 / White








# HX Heavy-Duty Tilt Pivot

Not just for gamers, this tilt pivot upgrades an HX arm, providing stability and flexibility for professionals who prefer large or curved displays at home or in the office.



Part Number / Color 98-009-216 / White

#### Style Meets Functionality



#### **Unparalleled Range Of Motion**



#### Easy adjustment: LX Wall Arm

Place your screen where you need it for each project, and then reclaim a space full of opportunities by folding the arm and pushing it aside during a much-needed screen break.

Typical LCD Size	≤ 32″
Lift	13" (33 cm)
Weight Capacity	7–25 lbs (3.2–11.3 kg)

Part Number / Color 45-243-026 / Polished Aluminum 45-243-224 / Matte Black 45-243-216 / White



#### Work sitting or standing: LX Sit-Stand Wall Arm

This versatile arm can be used in a variety of applications: attach a smaller monitor for use within a sit-stand workstation or add a large display up to 25 lbs (11.3 kg) to position digital signage.

Typical LCD Size	Sit-stand $\leq 42''$
Typical LCD Size	Sit-stand HD $\leq 46''$
Lift	20" (50.8 cm)
Weight Capacity	Sit-stand 7–25 lbs (3.2–11.3 kg)
Weight Capacity	Sit-stand HD 14–30 lbs (6.3–13.6 kg)

Part Number / Color Sit-stand 45-353-026 / Polished Aluminum Sit-stand HD 45-383-026 / Polished Aluminum

#### Stable and flexible: MXV Wall Arm

The MXV Wall Monitor Arm incorporates a modern V-shaped design to create a stable yet flexible platform for screens up to 20 lbs (9.1 kg). With a slim profile, MXV offers 13" (33 cm) of height adjustment, up to 24.6" (63 cm) monitor extension, integrated tilt and more.

34″
3″ (33 cm)
–20 lbs (3.2–9.1 kg)

Part Number / Color / Availability 45-505-216 / White 45-505-224 / Matte Black

#### **Keyboard Arm**



#### Build a complete ergonomic space: LX Wall Keyboard Arm

Type freely on the stable platform that easily adjusts to the most comfortable working height. The back-tilt keyboard tray keeps wrists neutral for comfortable typing, while helping prevent common office injuries.

Keyboard Tray Size	17.6" x 9.5" (44.6 x 24 cm)
Lift	13" (33 cm)
Lift	Sit-stand 20" (51 cm)
Weight Capacity	≤ 5 lbs (2.3 kg)

Part Number / Color 45-246-026 / Polished Aluminum Sit-stand 45-354-026 / Polished Aluminum

#### Heavy Monitor Mount



#### For large monitors: MX Wall Arm

The sleek MX LCD Arm accommodates larger monitors and all-in-one computers weighing up to 30 lbs (13.6 kg).

Typical LCD Size	≤ 42″
Lift	5″ (13 cm)
Weight Capacity	14–30 lbs (6.4–13.6 kg)

Part Number / Color 45-228-026 / Polished Aluminum





#### **Additional** Wall Mounts!



200 Series

Typical LCD Size	$Dual \leq 22''$ each
Typical LCD Size	Pivot $\leq$ 38"
Typical LCD Size	Wall Mount ≤ 38"
Weight Capacity	Dual 13 lbs (5.9 kg) each
Weight Capacity	Pivot 25 lbs (11.3 kg)
Weight Capacity	Wall Mount 25 lbs (11.3 kg)

Part Number / Color Dual Monitor 45-231-200 / Black Monitor Pivot 45-232-200 / Black Wall Mount 1 extension 45-233-200 / Black Wall Mount 2 extensions 45-234-200 / Black



#### LX Wall Mount Swing Arm & Pivot

Typical LCD Size ≤ 49" Weight Capacity 50 lbs (22.7 kg)

Part Number / Color HD Swing Arm 45-268-026 / Polished Aluminum Monitor Pivot 45-269-009 / Polished Aluminum



100 Series

Typical LCD Size	≤ 38″
Weight Capacity	Single $\leq$ 25 lbs (11.3 kg)
Weight Capacity	Pivot $\leq$ 23 lbs (10.4 kg)

Part Number / Color Single 47-092-800 / Black or Grey Pivot 47-093-800 / Black or Grey





#### Tilting & Low Profile Mount

Typical LCD Size	TM Tilting $\ge 32''$
Typical LCD Size	TM XL Tilting $\ge 42''$
Typical LCD Size	WM Low Profile $\ge 32''$
Typical LCD Size	WM XL Low Profile $\ge 42''$
Weight Capacity	≤ 175 lbs (79 kg)

Part Number / Color TM Tilting 61-143-003 / Silver TM XL Tilting 61-142-003/ Silver WM Low Profile 60-604-003 / Silver WM XL Low Profile 60-602-003 / Silver



#### SIM90 Signage Mount

Typical LCD Size	≥ 32″
Weight Capacity	≤ 105 lbs (47.6 kg)

Part Number / Color 60-600-009 / Black



#### Glide Wall Mount

Typical LCD Size	$\text{LD-X} \leq 42''$
Typical LCD Size	VHD 46-63"
Lift	LD-X 10" (25.4 cm)
Lift	VHD 16" (40.6 cm)
Weight Capacity	LD-X 12-30 lbs (5.4-13.6 kg)
Weight Capacity	VHD 45–70 lbs (20.4–32 kg)

Part Number / Color LD-X 61-113-085 / Black HD 61-061-085 / Black VHD 61-128-085 / Black



Typical LCD Size	≤ 37″
Weight Capacity	≤ 30 lbs (13.6 kg)

Part Number / Color / Availability 60-239-007 / Black



#### Interactive Arm

$LD \leq 42^{\prime\prime}$
HD 30-65"
VHD 40-90"
20" (51 cm)
LD 7–25 lbs (3.2–11.3 kg)
HD 18-40 lbs (8.2-18.2 kg)
VHD 35–70 lbs (15.9–31.8 kg)

Part Number / Color / Availability LD 45-361-026 / Polished Aluminum HD 45-296-026 / Polished Aluminum VHD 45-304-026 / Polished Aluminum







#### Neo-Flex Cantilever Mount

Typical LCD Size	VHD 23-42"
Typical LCD Size	UHD 37-52"
Weight Capacity	VHD $\leq$ 80 lbs (36.3 kg)
Weight Capacity	UHD $\leq$ 120 lbs ( $\leq$ 54.4 kg)

#### Part Number / Color VHD 45-385-223 / Black UHD 61-132-223 / Black



#### Neo-Flex Wall Mount, ULD

Typical LCD Size	13–32″
Weight Capacity	≤ 40 lbs (18.1 kg)

Part Number / Color 97-589 / Black







#### **Ceiling Mounts**



#### *Endless tilt and pitch adjustment: Neo-Flex Projector Ceiling Mount*

Weight Capacity ≤ 40 lbs (18.1 kg)

Part Number / Color 60-623 / Black

#### MOBILE WORKING Height-adjustable options for any industry

YEAR



#### Add movement to any space: Neo-Flex LCD & Laptop Cart

Typical LCD Size	$LCD \leq 27''$
Typical LCD Size	Laptop 12–17" laptop
Lift	LCD 27" (68.6 cm)
Lift	Laptop 20" (50.8 cm)
Weight Capacity	LCD $\leq$ 26 lbs (11.8 kg)
Weight Capacity	Laptop ≤ 15 lbs (6.8 kg)

Part Number / Color LCD Cart 24-206-214 / Two-tone Grey Laptop Cart 24-205-214 / Two-tone Grey



#### Widen your view: Neo-Flex WideView WorkSpace

Typical LCD Size	$Dual \leq 22''$
Lift	20" (51 cm)
Weight Capacity	Dual 6–14 lbs (2.7–6.4 kg) each

Part Number / Color Dual Monitor 24-194-055 / Two-tone Grey



#### Digital signage that moves: Neo-Flex Mobile MediaCenter

Typical LCD Size	Typical LCD Size LD 27–60"		
Typical LCD Size	LD 27-80		
Typical LCD Size	VHD 37–75"		
Typical LCD Size	UHD 50-80"		
Lift	20" (51 cm)		
Weight Capacity	LD 25–50 lbs (11.4–27.2 kg)		
Weight Capacity	VHD 50–90 lbs (22.7–40.9 kg)		
Weight Capacity	UHD 90–120 lbs (40.9–54.4 kg)		
Part Number / Color LD 24-190-085 / Black VHD 24-191-085 / Black UHD 24-192-085 / Black Accessories Camera Shelf 97-491-085 MMC VESA-CPU Mount 97-527-009			
MMC VESA-CPU Mount 97-527-009			

Caregivers have many distractions that take their focus away from patients—technology should not be one of them. Ergotron products remove constraints from how caregivers work with technology to help reduce burnout and to improve the patient experience. Together, we are moving care forward.

> Carts CONFIGURATIONS TO FIT YOUR WORKFLOWS

Wall Mounts GET MORE FROM YOUR SPACE

Charging Cabinets POWER UP YOUR TECHNOLOGY

and more!



#### Accessories: Neo-Flex Cart & Workspace





NF Cart Handle & Basket Kit 97-545

NF Cart Wire Basket Kit 97-544



Universal CPU Holder 80-105-064



NF Cart Laptop Vertical Kit 97-546



# **CAREFIT** SLIM Ultra-lean Documentation Cart



# **CAREFIT**PRO Full-featured & Customizable Medical Cart

The CareFit<sup>™</sup> Pro Medical Cart sets a new standard in professional-grade design for home-like environments for clinicians and patients alike. A flexible open architecture system reliably adapts to future and current workflows with ease. Integrated, cloud-based software simplifies fleet management, helps improve uptime and alleviates power concern.

- 1 180° pan for monitor and keyboard
- 2 Touchscreen user interface
- 3 High-capacity configurable drawer system can be added
- 4 Infinite brake mechanism enhances patented Constant Force<sup>™</sup> technology for improved usability; electric lift also available
- 5 Integrated 320Wh LiFe battery
- 6 Durable, 5" (12.7 cm) dual-wheel casters
- 7 Optional LiFeKinnex Power System (245Wh)
- 8 Cantilever monitor mount for focal depth adjustability and full access to worksurface
- 9 LED lighting located on the base, keyboard and worksurface for working in dark environments
- 10 Neutral-angle, dual-grip handle design for improved push/pull/lift ergonomics
- 11 Integrated 7-port USB hub for data and power
- 12 Technology enclosure
- 13 Enclosed cable management
- 14 Flex-platform accessory mounting system
- 15 Promote uptime with eKinnex<sup>™</sup> software for proactive fleet management

CareFit Pro with multiple drawer configurations!

# Itiple ions!

# CareFit Pro Medical Cart

Typical LCD Size	Up to 27" or 20 lbs (9.1 kg)
Lift	27" (68.6 cm): 22" (56 cm) + 5" (12.7 cm) independent monitor lift
Worksurface Dimensions	14" x 16" (35.6 x 40.6 cm), expandable to 14" x 23" (35.6 x 58.4 cm)
Base Footprint Dimensions	20" x 21" (50.8 x 53.3 cm)

#### Part Number / Color / Availability

Electric Lift Technology C52-2201-2 / White & Warm Grey / EU Electric Lift Technology C52-2201-3 / White & Warm Grey / UK, HK, SG Electric Lift Technology C52-2201-C / White & Warm Grey / CHE Constant Force Lift Technology C52-1201-2 / White & Warm Grey / EU Constant Force Lift Technology C52-1201-3 / White & Warm Grey / UK, HK, SG Constant Force Lift Technology C52-1201-C / White & Warm Grey / CHE

Short, tall or average clinicians can now work comfortably and effectively—no matter what their stature. Help all of your caregivers thrive with an expansive vertical range that easily adjusts to the ergonomic needs of the broadest range of users. The lightweight design makes it easy to move wherever your work takes you around the healthcare facility.

**CareFit Slim 2.0 LCD Medical Carts** offer a pull-out keyboard and large worksurface to support large all-in-one computers and monitors, with no-drawer and one-drawer models available.

- 1 Designed for lean IT configurations, including micro PC + LCD or AIO 21–27" weighing up to 20 lbs (9.1 kg)
- 2 Telescopic lift provides an additional 5" (13 cm) of monitor height adjustment
- 3 Spacious worksurface is 20.7" x 14.3" (52.5 x 36.3 cm)
- 4 Slide-out keyboard tray and pull-out mouse tray (left or right side) hides under thekeyboard tray when not in use
- 5 Offers easy height adjustability with the pull of a lift handle
- 6 Accessory shelf for printer or scanner on left; sani-wipes holder on right
- 7 Lift engine offers an expansive vertical range of 29.25-46.75" (74-119 cm)
- 8 Easily add a hot-swap power system
- 9 Compact cast aluminum base with durable finish; includes three-function
   4" (10.2 cm) casters




**CareFit Slim Laptop Carts** fit laptops and two-in-ones. A pull-out cable storage tray keeps cords out of sight, and a slide-out power brick holder offers easy access to power options.

- 1 CareFit Slim Laptop Security Bracket keeps your laptop from sliding, while helping protect important equipment
- 2 Integrated storage area and pull-out cable storage tray with quick connect hardware
- 3 Worksurface is 21" x 13.9" (53.3 x 35.3 cm)
- 4 Triple-stage lift engine offers an expansive vertical range of 24.5–49.1" (61.4–124.7 cm)
- 5 Super-compact cast aluminum base with durable finish; includes three-function 4" (10.2 cm) casters

#### CareFit Slim 2.0 LCD Cart

Typical LCD Size	Designed for lean IT configurations, including micro PC + LCD or AIO ≤ 27‴ weighing 5–20 lbs (2.3–9.1 kg)
Lift	17.5" (44.5 cm)
Base Footprint Dimensions	18" x 16.7" (46 x 42 cm)

Part Number / Color / Availability No Drawer C50-3500-0 / White & Warm Grey / Worldwide 1 Drawer C50-3510-0 / White & Warm Grey / Worldwide




#### CareFit Slim Laptop Cart

Typical Laptop Screen Size	≤ 17.3″
Lift	24.6" (62.5 cm)
Base Footprint Dimensions	18.9" x 14.7" (48 x 37 cm)

Part Number / Color No Drawer C50-1100-0 / White & Warm Grey






#### CUSTOMIZABLE FOR EVERY WORKFLOW

Need drawer storage? If so, how many?

- One row:
   Select our cart with patented
   Constant Force Technology.
- More than one row: Select our cart with an electric lift. Mix and match up to a total of 4 rows (1 Drawer, 1x1) on an electric cart.



Supports Imprivata identity and access management.



# CareFit Pro Medical Cart With Drawers

Part Number / Availability 1 Drawer (1x1) Constant Force Lift Technology C52-1211-2 / EU Constant Force Lift Technology C52-1211-3 / UK Constant Force Lift Technology C52-1211-C / CHE 1 Drawer (1x1) Electric Lift Technology C52-2211-2 / EU Electric Lift Technology C52-2211-3 / UK Electric Lift Technology C52-2211-C / CHE 2 Drawers (2x1) Electric Lift Technology C52-22A1-2 / EU Electric Lift Technology C52-22A1-3 / UK Electric Lift Technology C52-22A1-C / CHE 5 Drawers (4x1+1) Electric Lift Technology C52-2251-2 / EU Electric Lift Technology C52-2251-3 / UK Electric Lift Technology C52-2251-C / CHE 8 Drawers (4x2) Electric Lift Technology C52-2281-2 / EU Electric Lift Technology C52-2281-3 / UK Electric Lift Technology C52-2281-C / CHE 1 Tall Drawer (1x1) Electric Lift Technology C52-22B1-2 / EU Electric Lift Technology C52-22B1-3 / UK Electric Lift Technology C52-22B1-C / CHE Accessories Quad Drawer 98-485 Double Drawer 98-486 Single Drawer 98-487 Double Tall Drawer 98-488 Single Tall Drawer 98-489

Build Your CareFit Pro Cart: Accessories To Enhance Your Workflow



Direct Install T-Nut Kit 98-432



**Bin** 98-438



Slotted Shelf 98-436



Document Holder Replacement for standard cart feature 98-433



98-439




Wipes Holder 98-435



Worksurface Expansion Kit 98-437



Rear Document Holder Replacement for standard cart feature 98-434



# **STYLEVIEW**<sup>TM</sup> *Customizable Carts To Fit Your Workflows*

Ergotron's StyleView medical carts and wall-mount workstations support care everywhere by using movement to enhance critical workflows and satisfaction for both caregivers and patients. Our customizable products are designed to create positive patient experiences and help exceed patient engagement objectives.

Through ergonomic designs and intuitive features, StyleView workstations adapt to the needs throughout a caregiver's shift, while responding to the unexpected.

#### **Light-duty Documentation Carts**

**Point-of-care Documentation Carts** 





StyleView S-Tablet Cart, SV10 for Microsoft Surface SV10-1800-0


StyleView Tablet Cart, SV10 SV10-1400-0



StyleView Laptop Cart, SV10 SV10-1100-0



StyleView Pole Cart 24-818-211



LCD arm LCD pivot Laptop Choose non-powered or powered:

> Lithium Iron Phosphate (LiFe) Sealed lead acid

Choose drawer configuration

Choose accessories: Additional storage See page 45 Add a certified service

program



StyleView 43 Series LCD arm version shown Non-powered Pre-configured with drawers

Part numbers vary by country and power requirements. Use our helpful finder tool at styleview.ergotron.com/finder



Part numbers vary by country and power requirements. Use our helpful finder tool at styleview.ergotron.com/finder StyleView Carts

Typical LCD Size	LCD Arm $\leq 24''$
Typical LCD Size	LCD Pivot $\leq 24''$
Typical LCD Size	Laptop ≤ 17″
Lift	LCD Arm 27" (68.6 cm)
Lift	LCD Pivot 25" (63.5 cm)
Lift	Laptop 20" (51 cm)
Worksurface Dimensions	22.4" x 19.75" (56.7 x 50.2 cm)
Base Footprint Dimensions	17" x 21" (43 x 53.3 cm)

Part Number / Color See website

「
 「
 「
 」
 「
 」
 「
 」
 」
 「
 」
 」
 「
 」
 」
 作式会社
 Compliant with
 C
 EN 60601-1
 C



#### **Point-of-care Medication Delivery Carts & Telemedicine Carts**



StyleView 44 Series LCD pivot version shown Powered with SLA or LiFe battery Pre-configured with drawers



StyleView Telemedicine Dual monitor version shown Powered with SLA battery Pre-configured with connectivity and storage for telemedicine applications

	Certification Standard	Certification Mark	Grounded Plug & Outlet
Europe	EN 60601-1	CE	European CEE 7
Ireland/ United Kingdom	EN 60601-1	CE	United Kingdom BS 1363

#### Build Your Styleview Cart: Accessories To Enhance Your Workflow



SV43/44 Envelope Drawer 97-853



SV Dual Monitor Kit\* 98-030



SV Camera Shelf\* 97-776-194



SV IV Pole Clamp Kit 97-632



SV Rear VESA Mount Kit 97-512-009



SV Wire Basket Large 98-135-216



SV Height-Adjustable Keyboard Arm for SV LCD Carts\* 97-827



SV Storage Bin 97-740



Utility Shelf 97-507-216



SV Sani-wipes Holder 97-828



SV 3-Function Caster 98-069



Large Utility Shelf\* 97-540-053



SV Wire Basket Small 98-136-216



SV Ethernet Side Cover LCD 97-855 Laptop 97-856



SV Tasklight 97-754-002



SV Scanner Shelf\* 97-780-194



Thin Client Mount\* 80-107-200



SV Telemedicine Bin\* 97-854



SV Scanner Shelf\* 97-780-194



SV DIN Rail 98-420



Pan Pivot Kit 97-650



SV Front Tray 98-134



Universal CPU Holder\* 80-105-064



Scanner Holder 97-543-207



K-Slot Lock Kit 97-702



SV Front Printer Shelf\* 98-139





1 Drawer

1 primary, single





9 Drawers 1 primary, triple 2 supplemental, triple



2 Tall Drawers 1 primary, double tall



3 Drawers 1 primary, single



15 Drawers 1 primary, triple 4 supplemental, triple

#### **Charging Cabinet**



Chromebooks: Zip12

Part Number / Color DM12-1006\* / Black & Silver





**Build Your Styleview Cart: Numerous Drawer Configurations** 



















4 Drawers 1 primary, triple 1 supplemental, single



2 Drawers 1 primary, double

#### Drawer Security **>>**

Choose from manual key lock drawers or electronic locking drawer systems (with PINs) for secure and efficient non-controlled medication management, reducing the chance fo errors. Supports pharmacy mode, allowing all drawers to be unlocked simultaneously.







6 Drawers 1 primary, triple 1 supplemental, triple



1 Tall Drawer 1 primary, single tall





#### POWER LIFE-CHANGING CARE

- Safe battery chemistry
- Longer battery cycle life
- Quick charging time
- Easy to connect
- Simple attachment system

Alleviate power anxiety on medical carts with this innovative battery system designed to support multiple workflows, including hot swap or on-cart charging. The three-part system—battery, smart battery dock and optional external four-bay charger-minimizes downtime by monitoring battery run-time with an LCD screen and using the unique magnetic connection feature for an easy swapping process.

Power Output	AC
Battery Type	Lithium-Iron Phosphate (LiFe)
Battery Capacity	245Wh
Charge Time	1.75 hours
Run Time	5–8 hours (typical load)
Battery Weight	6.7 lbs (3 kg)


Part Number / Availability LiFeKinnex Battery 98-246 / EU, UK, CHE Battery not included with Smart Battery Dock & 4-Bay Charger LiFeKinnex Smart Battery Dock 98-250 / EU LiFeKinnex Smart Battery Dock 98-251 / UK LiFeKinnex Smart Battery Dock 98-252 / CHE Optional LiFeKinnex 4-Bay Charger 98-260 / EU Optional LiFeKinnex 4-Bay Charger 98-261 / UK Optional LiFeKinnex 4-Bay Charger 98-262 / CHE Certification UN/DOT 38.3, IEC 62133, WEEE, Conflict Minerals Act, REACH, RoHS

LiFeKinnex 4-Bay Charger (Desktop)



#### CLOUD-BASED FLEET MANAGEMENT FOR MEDICAL CARTS

- and StyleView carts
- significantly reduce or eliminate cart downtime
- Monitoring helps improve battery life expectancy
- Provides real-time insight into usage patterns, drawer access, battery charge/life and more
- Easy to get, fast to implement





• Secure, web-based software application that monitors and manages your fleet of CareFit

- Seamless and centralized fleet management provides comprehensive cart data to
- · Software operates separately from patient records to reduce concerns with HIPPA compliance

# **CAREFIT**<sup>TM</sup> Low Profile Wall Enclosure



Space is in high-demand in healthcare environments. With the CareFit Enclosure, you have more room to provide the best patient care. The wall-mount workstation lets caregivers work comfortably sitting or standing in crowded patient rooms or hallways.

- The low-profile design stays close to the wall and folds when not in use to open up more space
- Lock code with up to 10 digits keeps patient data and technology secure





#### CareFit Enclosure

Typical LCD Size	$\leq$ 27" See website
Lift	20" (51 cm)
Weight Capacity	≤ 13 lbs (5.9 kg)

Part Number / Color 61-367-060 / Matte Black 61-367-030 / Snow White

Accessory / Part Number / Color Vertical Scanner Bracket 98-425-060 / Matte Black Vertical Scanner Bracket 98-425-030 / Snow White Horizontal Scanner Bracket 98-424-060/ Matte Black Horizontal Scanner Bracket 98-424-030/ Snow White





# StyleView Enclosures



#### StyleView VL Enclosure

Typical LCD Size	$\leq$ 22" See website
Lift	9″ (23 cm)
Weight Capacity	See website


Part Number / Color 60-595-062 / White

# **CAREFIT** Combo System





Support genuine patient connections and help reduce the risk of errors with the modular CareFit Combo System that enables an efficient and comfortable documentation experience at the point of care. Easy screensharing, one-hand stowing and intuitive access to tools allow nurses to focus on patient care. The design enhances healing spaces with concealed cable management that promotes infection control, serviceability and uptime for IT teams.





#### CareFit Combo System

Typical LCD Size	$\leq$ 27" See website
Lift	51 cm
Weight Capacity	LCD: 3.6–10 kg Worksuface: 0.68 kg


Part Number / Color System 45-618-251 / White System with Worksurface 45-619-251 / White



CareFit Combo Arm

Typical LCD Size	$\leq 27''$ See website
Lift	51 cm
Weight Capacity	LCD: 3.6–10 kg Worksuface: 0.68 kg

Part Number / Color Arm 45-621-251 / White Arm with Worksurface 45-622-251 / White



Hidden cable management and simple cord access makes it easy for *IT teams* to maintain or upgrade workstations so they can efficiently get the job done.


#### **MODULAR - FULL-MOTION - CUSTOMIZABLE**

- 1 Personalized, ergonomic monitor positioning for each user with 180° of pan and 5" (13 cm) of independent adjustment
- 2 Provides up to 65" (165 cm) of reach by using an extender for documentation at a patient's bedside or in a private space
- 3 Wall Track covers create a clean, streamlined look with hidden cabling
- 4 Space-saving design easily folds when not in use to open up more work area
- 5 Support neat, healing spaces with concealed cable management that enhances infection control
- 6 Enable efficient, secure access with space for an RFID employee badge reader
- 7 Offer greater visibility to data by upgrading the workstation to hold two LCD monitors



#### healthcare









#### Large accessory portfolio fits your unique needs



Top-Mount Scanner Holder, VESA Attach 98-649-251 Supports efficient workflows with hands-free scanning



CareFit Combo Wireless Scanner Bracket 98-549-251 Supports efficient workflows with installation on either side




**CareFit Combo Scanner Bracket** 98-551-251 Supports efficient workflows with installation on either side



CareFit Combo Signature Pad Holder 31-018-216 Keeps larger printers in reach to maximize time with patients; installs anywhere on Wall Track



Printer Bracket for Wall Track, Large 98-647-251 Keeps larger printers in reach to maximize time with patients; installs anywhere on Wall Track



Printer Bracket for Wall Track 98-578-251 Keeps printer in reach to maximize time

with patients; installs on either side



CareFit Combo Dual Monitor Kit 98-650-251 Displays more information at once with two screens up to 24 inches (61 cm) each



CareFit Combo System with Large Printer Bracket, Signature Pad Holder, Short Extender, Top-Mount Scanner Holder and CPU Tray



CareFit Combo System with Dual Monitor Kit, Printer Bracket , Signature Pad Holder, Short Extender, Wireless Scanner Bracket and CPU Wall Cabinet



CareFit Combo System with Worksurface, Signature Pad Holder, Top-Mount Scanner Holder, Wireless Scanner Bracket, Extender and CPU Tray



CareFit Combo Extender 98-547-251 Provides extra reach and flexibility for larger care applications




CareFit Combo Extender, Short 98-648-251 Provides extra reach and flexibility for smaller care applications



34" Wall Track 31-018-216 Enables a sturdy installation; required for CareFit Combo Arm



**CPU Wall Cabinet** 98-543-251 Clean design keeps CPU secure and extra cables and power brick out of view



CareFit Wall Track 34" Covers 98-609-030 Hides cabling for a neat look and supports infection control



CareFit Combo CPU Tray 98-548-251 Saves valuable wall space by installing under the worksurface





#### Multiple configurations to fit any workflow



CareFit Combo System with Worksurface, Large Printer Bracket, Signature Pad Holder, Short Extender, Top-Mount Scanner Holder and CPU Tray



CareFit Combo System with Worksurface, Dual Monitor Kit, Large Printer Bracket, Signature Pad Holder, Wireless Scanner Holder, Extender, CPU Wall Cabinet



# LX, Neo-Flex & 200 Series Wall Mounts



#### Neo-Flex Dual Monitor Wall Mount & Keyboard Wall Mount

Typical LCD Size ≤ 24″ ≤ 50 lbs (22.7 kg)
 25 lbs (11.3 kg) per pivot
 Keyboard 5 lbs (2.3 kg)

Part Number / Color Monitor Mount 28-514-800 / Grey & Black Keyboard Mount 45-403-062 / Grey



#### 200 Series Combo Arm



45-230-216 / White 45-230-200 / Black





#### Neo-Flex Wall Mount Lift

Typical LCD Size	≤ 27″
Lift	13" (33 cm)
Weight Capacity	6–16 lbs (2.7–7.2 kg)

#### Part Number / Color 60-577-195 / Black





#### LX Sit-Stand Wall Mount System

Typical LCD Size	≤ 42″
Lift	20" (51 cm)
Weight Capacity	7–25 lbs (3.2–11.3 kg)

Part Number / Color

Medium CPU Holder 45-358-026 / Polished Aluminum Small CPU Holder 45-359-026 / Polished Aluminum



#### LX Wall Mount System

Typical LCD Size	≤ 32″
Lift	13" (33 cm)
Weight Capacity	5–25 lbs (2.3–11.3 kg)

Part Number / Color Medium CPU Holder 45-247-026 / Polished Aluminum Small CPU Holder 45-253-026 / Polished Aluminum 45-551-216 / White

White CPU Holder Ordered Separately Thin Client Mount 80-107-216 / White

Small CPU Holder 80-063-216 / White Vertical Universal CPU Holder 97-468-216 / White





#### StyleView Vertical Lifts



#### StyleView Sit-Stand Vertical Lift

Typical LCD Size	≤ 24″
Lift	18" (45.7 cm)
Weight Capacity	Patient Room 8–33 lbs (3.6–15 kg)
Weight Capacity	High Traffic Area 5–30 lbs (2.3–13.6 kg)

Part Number / Color Patient Room 61-080-062 / White Patient Room 61-080-085 / Black High Traffic Area 61-081-062 / White High Traffic Area 61-081-085 / Black



#### StyleView Vertical Lift

Typical LCD Size	≤ 24″
Lift	9″ (22.9 cm)
Weight Capacity	Patient Room 8–33 lbs (3.6–15 kg)
Weight Capacity	High Traffic Area 5–30 lbs (2.3–13.6 kg)

Part Number / Color Patient Room 60-609-216 / White Patient Room 60-609-195 / Black High Traffic Area 60-593-195 / Black

#### Add-on Power For Non-Power Carts



#### SV DC Power System

Power Output	DC
Battery Type	Lithium-Ion
Battery Capacity	330Wh
Charge Time	6–7 hours
Run Time	Up to 15 hours


Part Number Laptop version 97-943 LCD + CPU version 97-942 Remote User Interface 97-953 (Country-specific power cords sold separately) Certification Battery pack: UL 60601-1 / Li Ion Cell: IEC 62133

#### Durable Flexible Efficient Innovative

Harness the limitless potential of interactive, digital learning. Ergotron's professionalgrade ChargeFit charging systems fit your changing technology, education spaces and ever-changing school days.

No two days are the same, so the flexible designs evolve with your lesson plans. As movement innovators, we've designed our ChargeFit systems to work with a variety of accessories and environments for you to decide where and how you want to ChargeFit.

# **CHARGEFIT**<sup>™</sup>










#### **High-capacity**



# CHARGEFIT

Our professional-grade ChargeFit designs combine durable construction with extensive testing to help keep students, staff and devices safe.



Wall	Desktop	
ZIP12	ZIP12	
act wall cabinet	Compact desk cabinet	
ets, smart phones, omebooks, iPads	Tablets, smart phones, Chromebooks, iPads	
Charging cabinets save valuable education space		
etime for the frame; 5 years for other mechanical components; 3 years for electrical components; 1 year for cables		

#### YES36 Charging Cart for Mini-laptops

This customizable charging cart lets you charge, store and transport up to 36 laptops, Chromebooks and tablets with screen sizes up to 13"—and some up to 14". Have larger devices? Just set the cart's bay width and shelf height for your needs. It charges devices 40% faster than other systems, so they're ready when you need them. Say "YES" to an easy-to-move and safe charging cart that


LearnFit™	Neo-Flex®	Neo-Flex <sup>™</sup> MMC	Monitor Arms
Mobile desk for education	Projector Ceiling Mount	Mobile media cart	Flexible screen views

# LEARN -

Our LearnFit family of height-adjustable, mobile desks allows students, teachers and colleagues to break free from constraints that hinder creativity and success, so they can thrive as they learn and work. These kinetic environments drive collaboration across the entire school to support 21st century learning.

From supporting greater focus to building flexible classroom spaces to contributing to positive academic performance, LearnFit creates personalized learning experiences that set the foundation for a lifetime of well-being.









#### LearnFit Sit-Stand Desks

Lift	16" (40.6 cm)
Weight Capacity	≤ 15 lbs (7 kg)
Worksurface Height	Tall 33.25–49.25" (84–125 cm)
Worksurface Height	Short 29-45" (73.7-114 cm)
Worksurface Dimensions	24" x 22" (61 x 56 cm)
Base Footprint	24" x 22" (61 x 56 cm)

Part Number / Color Sit-Stand Desk, Tall 24-481-003 / White & Silver Sit-Stand Desk, Short 24-547-003 / White & Silver





#### Take your teaching on the move: TeachWell<sup>™</sup> Mobile Digital Workspace

Break away from your desk or podium with the TeachWell Mobile Digital Workspace. This compact hub stores all your technology on a height-adjustable platform that lets you choose how you instruct today's learners. Move from desk to desk or quiet corners to drive engagement and collaboration.

Lift	20" (51 cm)
Weight Capacity	See website
Worksurface Height	Minimum 31.8" (81 cm)
Worksurface Height	Maximum 51.8" (132 cm)
Worksurface Dimensions	31" x 21" (79 x 53 cm)
Base Footprint	28.9" x 21" (73 x 53 cm)







Ergotron's high-quality products are backed by specially trained support professionals and optional extended service programs that protect your business investment and enhance ongoing product performance for years to come.

#### AVAILABLE SERVICES:







#### We Don't Just Stand Behind Our Products. We Stand Behind You.





Download additional resources at ergotron.com EMEA Sales: Amersfoort, The Netherlands / +31.33.45.45.600 / info.eu@ergotron.com © Ergotron, Inc. revision 21.02.2024 / print 21.02.2024 Literature designed in the U.S.A. Content subject to change. Ergotron devices are not intended to cure, treat, mitigate or prevent any disease. Patent information available at www.ergotron.com/patents 870-01-021-EMEA